

EZ-Ject, Inc.

P.O. Box 34645 • Omaha, NE 68134
Toll Free: 1-888-395-6732

1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT: EZ-Ject™ Copperhead Herbicide Shells

EPA Reg. No.: 83220-2

EPA Est: 69117-NE-1

Company Information:

EZ-Ject, Inc.

P.O. Box 34645

Omaha, NE 68134

Toll Free: 1-888-395-6732

2. COMPOSITION/INFORMATION ON INGREDIENTS

ACTIVE INGREDIENT:

Imazapyr (CAS No. 81510-83-0) 83.5%

OTHER INGREDIENTS 16.5%

Total: 100.0%

3. HAZARDS OR IDENTIFICATION

Emergency overview

CAUTION: Keep out of reach of children

Avoid contact with the skin, eyes and clothing.

Avoid inhalation of mists/vapors.

Potential health hazards

See Product Label for additional precautionary statements.

Primary routes of exposure: Routes of entry for solids and liquids include eye and skin contact, ingestion and inhalation. Routes of entry for gases include inhalation and eye contact.

Acute toxicity: Relatively nontoxic after single ingestion. Slightly toxic after short-term skin contact. Relatively nontoxic after short-term inhalation.

Irritation: May cause slight but temporary irritation to the eyes. May cause slight irritation to the skin.

Sensitization: Skin sensitizing effects were not observed in animal studies.

Repeated dose toxicity: No other known chronic effects.

Aquatic toxicity: There is a high probability that the product is not acutely harmful to fish. There is a high probability that the product is not acutely harmful to aquatic invertebrates. Acutely harmful for aquatic plants.

Terrestrial toxicity: With high probability not acutely harmful to terrestrial organisms.

4. FIRST AID MEASURES

General advice: First aid providers should wear personal protective equipment to prevent exposure. Remove contaminated clothing. Move person to fresh air. If person is not breathing, call 911 or ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or physician for treatment advice. Have the product container or label with you when calling a poison control center or doctor or going for treatment.

If inhaled: Remove the affected individual into fresh air and keep the person calm. Assist in breathing if necessary.

If on skin: Rinse skin immediately with plenty of water for 15-20 minutes.

If in eyes: Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing.

If swallowed: Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor. Never induce vomiting or give anything by mouth if the victim is unconscious or having convulsions.

Note to physician:

Antidote: No known specific antidote.

Treatment: Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Flash point: > 210°F

Autoignition: approximately 200°F

Suitable extinguishing media: Foam, dry extinguishing media, carbon dioxide, water spray

Hazards during fire-fighting: carbon monoxide, carbon dioxide, Nitrogen oxide.

If product is heated above decomposition temperature, toxic vapors will be released. The substances/groups of substances mentioned can be released if the product is involved in a fire.

Protective equipment for fire-fighting: Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.

Further information: Evacuate area of all unnecessary personnel.

Contain contaminated water/firefighting water. Do not allow to enter drains or waterways.

NFPA Hazard codes:

Health: 1 Fire: 1 Reactivity: 0 Special:

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Take appropriate protective measures. Clear area. Shut off source of leak only under safe conditions. Extinguish sources of ignition nearby and downwind. Ensure adequate ventilation. Wear suitable personal protective clothing and equipment.

Environmental precautions: Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater. Contain contaminated water/firefighting water.

Cleanup: Dike spillage. Pick up with suitable absorbent material. Place into suitable containers for reuse or disposal in a licensed facility. Spilled substance/product should be recovered and applied according to label rates whenever possible. If application of spilled substance/product is not possible, then spills should be contained, solidified, and placed in suitable containers for disposal. After decontamination, spill area can be washed with water. Collect wash water for approved disposal.

EZ-Ject, Inc.

P.O. Box 34645 • Omaha, NE 68134
Toll Free: 1-888-395-6732

7. HANDLING AND STORAGE

Handling

General advice: RECOMMENDATIONS ARE FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS. Ensure adequate ventilation. Provide good ventilation of working area (local exhaust ventilation if necessary). Keep away from sources of ignition - No smoking. Keep container tightly sealed. Protect contents from the effects of light. Protect against heat. Protect from air. Handle an open container with care. Do not open until ready to use. Once container is opened, content should be used up as soon as possible. Avoid aerosol formation. Avoid dust formation. Provide means for controlling leaks and spills. Do not return residues to the storage containers. Follow label warnings even after container is emptied. The substance/product may be handled only by appropriately trained personnel. Avoid all direct contact with the substance/ product. Avoid contact with the skin, eyes, and clothing. Avoid inhalation of dusts/mists/vapors. Wear suitable personal protective clothing and equipment.

Protection against fire and explosion: The relevant fire protection measures should be noted. Fire extinguishers should be kept handy. Avoid all sources of ignition: heat, sparks, open flame. Keep away from oxidizable substances. Electrical equipment should conform to national electric code. Ground all transfer equipment properly to prevent electrostatic discharge. Electrostatic discharge may cause ignition.

Storage

General advice: Keep only in the original container in a cool, dry, well-ventilated place away from ignition sources, heat or flame. Protect containers from physical damage. Protect against contamination. The authority permits and storage regulations must be observed.

Storage incompatibility: General: Segregate from incompatible substances. Segregate from foods and animal feeds. Segregate from textiles and similar materials.

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Users of a pesticidal product should refer to the product label for personal protective equipment requirements.

Advice on system design: Whenever possible, engineering controls should be used to minimize the need for personal protective equipment.

Personal protective equipment

RECOMMENDATIONS FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS:

Respiratory protection: Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) TC23C Chemical/Mechanical type filter system to remove a combination of particles, gas and vapors. For situations where the airborne concentrations may exceed the level for which an air purifying respirator is effective, or where the levels are unknown or Immediately Dangerous to Life or Health (IDLH), use NIOSH-certified full facepiece pressure demand self-contained breathing apparatus (SCBA) or a full facepiece pressure demand supplied-air

respirator (SAR) with escape provisions.

Hand protection: Chemical resistant protective gloves. Protective glove selection must be based on the user's assessment of the workplace hazards.

Eye protection: Safety glasses with side-shields (frame goggles) (f.e. EN 166)

Body protection: Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

General safety and hygiene measures: Wear long sleeved work shirt and long work pants in addition to other stated personal protective equipment. Work place should be equipped with a shower and an eye wash. Handle in accordance with good industrial hygiene and safety practice. Personal protective equipment should be decontaminated prior to reuse. Gloves must be inspected regularly and prior to each use. Replace if necessary (e.g. pinhole leaks). Take off immediately all contaminated clothing. Store work clothing separately. Hands and/or face should be washed before breaks and at the end of the shift. No eating, drinking, smoking or tobacco use at the place of work. Keep away from food, drink and animal feeding stuffs.

9. PHYSICAL AND CHEMICAL PROPERTIES

Form: crystals/solid

Odor: strong, ammonia-like

Color: green

pH value: 5.5 - 7.5

Boiling point: approximately 212°F (760 mmHg)

Density: 1.11 - 1.12 g/cm³

10. STABILITY AND REACTIVITY

Conditions to avoid:

Avoid all sources of ignition: heat, sparks, open flame. Avoid extreme temperatures. Avoid prolonged exposure to extreme heat.

Avoid contamination. Avoid electro-static discharge. Avoid prolonged storage.

Substances to avoid:

Oxidizing agents, strong alkalies

Hazardous reactions:

This product is chemically stable.

Hazardous polymerization will not occur. No hazardous reactions if stored and handled as prescribed/indicated.

Decomposition products:

Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated. Prolonged thermal loading can result in products of degradation being given off.

Thermal decomposition:

Possible thermal decomposition products: carbon monoxide, carbon dioxide, Nitrogen oxide.

Stable at ambient temperature. If product is heated above decomposition temperature, toxic vapors may be released. If product is heated above decomposition temperatures, hazardous fumes may be released.

EZ-Ject, Inc.

P.O. Box 34645 • Omaha, NE 68134
Toll Free: 1-888-395-6732

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Oral:

LD50/rat: > 5,000 mg/kg. Slightly toxic to practically nontoxic.

Inhalation:

LC50/rat/male/female: 4.62 mg/l/4h

Dermal:

LD50/rabbit: > 5,000 mg/kg. Slightly toxic.

Skin irritation:

Rabbit: Mildly irritating. (Primary skin irritation test)

Eye irritation:

Rabbit: Nonirritating.

Genetic toxicity:

Information on: imazapyr

No mutagenic effect was found in various tests with microorganisms and mammals.

Carcinogenicity:

Information on: imazapyr

In long-term studies in rats and mice in which the substance was given by feed, a carcinogenic effect was not observed.

Reproductive toxicity:

Information on: imazapyr

The results of animal studies gave no indication of a fertility impairing effect.

Developmental toxicity/teratogenicity:

Information on: imazapyr

No indications of a developmental toxic/teratogenic effect were seen in animal studies.

12. ECOLOGICAL INFORMATION

Information on: imazapyr

Environmental toxicity

Acute and prolonged toxicity to fish:

Rainbow trout/LC50 (96 h): > 100 mg/l

Acute toxicity to aquatic invertebrates:

Daphnia magna/EC50 (48 h): > 100 mg/l

Toxicity to aquatic plants:

Green algae/EC50: 71 mg/l

Other terrestrial non-mammals:

Mallard duck/LC50: > 5,000 ppm

With high probability not acutely harmful to terrestrial organisms.

Honey bee/LD50: > 100 ug/bee

With high probability not acutely harmful to terrestrial organisms.

Other ecotoxicological advice: Do not discharge product into the environment without control. No data available for the preparation. The ecological data given are those of the active ingredient.

13. DISPOSAL CONSIDERATIONS

Waste disposal of substance:

Pesticide wastes are regulated.

Improper disposal of excess pesticide, or rinsate is a violation of Federal law.

If pesticide wastes cannot be disposed of according to label instructions, contact the State Pesticide Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container disposal:

Rinse thoroughly at least three times (triple rinse) in accordance with EPA recommendations. Consult state or local disposal authorities for approved alternative procedures such as container recycling. Recommend crushing, puncturing or other means to prevent unauthorized use of used containers.

14. TRANSPORT INFORMATION

Reference Bill of Lading

15. REGULATORY INFORMATION

Federal Regulations

Registration status:

TSCA, US: released/exempt

OSHA hazard category: Chronic target organ effects reported, Acute target organ effects reported, ACGIH TLV established, Toxic - inhalation

SARA hazard categories: (EPCRA 311/312): Acute

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED ONLY FOR YOUR GUIDANCE. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION FURNISHED BY EZ-JECT, INC. HEREUNDER ARE GIVEN GRATIS AND EZ-JECT, INC. ASSUMES NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK.

Revision: 11/06